

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)

[Sign in](#)

Google scholar

package OR program path search precedence

Search

[Advanced Scholar Search](#)

[Scholar Preferences](#)

☐ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

Scholar



Articles excluding pate



- 2003

include citations

Results 1 - 10 of about 11,700. (0.38 sec)

[PDF] [A tabu search approach to task scheduling on heterogeneous processors under precedence constraints](#)

[psu.edu \[PDF\]](#)

SCS Porto, CC Ribeiro - International Journal of high speed computing, 1995 - Citeseer

... The topology of the Mean Value Analysis solution **package** for product form queueing networks ...

undirected graph (the task interaction graph), where the nodes correspond to **program** tasks and ...

In some instances, a good **search path** will result in revisiting a solution encountered ...

[Cited by 89](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 9 versions](#)

[A stochastic parts **program** and noun phrase parser for unrestricted text](#)

[upenn.edu \[PDF\]](#)

KW Church - Proceedings of the second conference on Applied ..., 1988 - portal.acm.org

... In particular, the **path**, PPSS VB IN NN scores less well than the **path** PPSS VB AT NN ... The **search**

continues two more iterations, assuming blank parts of speech for words out of range. ... The **program**

inserts brackets into a sequence of parts of speech, producing output such as: ...

[Cited by 1183](#) - [Related articles](#) - [All 31 versions](#)

[Optimal and near-optimal allocation of **precedence**-constrained tasks to parallel processors: defying the high complexity using effective **search** techniques](#)

[psu.edu \[PDF\]](#)

I Ahmad, YK Kwok - icpp, 1998 - computer.org

... However, we assume every module of a parallel **program** can be executed on any ... proposed

several state-space **search** approaches for scheduling DAGs with arbitrary **precedence** relations. ...

lower-bound estimate of the exact minimum cost of the **search path** from the initial state ...

[Cited by 23](#) - [Related articles](#) - [All 10 versions](#)

[Modelling parallel **program** behaviour in ALPES](#)

JP Kitajima, B Plateau - Information and Software Technology, 1994 - Elsevier

... logics corres- ponds to an integer containing the value of the shortest **path** currently computed ...

is a simulation system developed on top of DEMOS, a discrete event modelling **package** written

in ... The parallel **program** (assumed to be correct) is modelled as a directed graph where ...

[Cited by 17](#) - [Related articles](#) - [All 2 versions](#)

A review of process fault detection and diagnosis:: Part II: Qualitative models and **search** strategies[psu.edu \[PDF\]](#)

V Venkatasubramanian, R Rengaswamy, SN ... - Computers & Chemical ..., 2003 - Elsevier

... An expert system is a computer **program** that mimics the cognitive behavior of a human expert ... automatically ensures the presence of SCPs (only SCPs) because invoking a complex **path** results in ... The problem of fault-tree synthesis can be formulated as a **search** in finite state ...

[Cited by 192](#) - [Related articles](#) - [All 12 versions](#)DISLOG: programming in logic with discontinuities

P Saint-Dizier - Computational Intelligence, 1990 - interscience.wiley.com

... Modalities and **precedence** restrictions do not, however, introduce fundamental differences in the logical foundations of DISLOG ... The Herbrand interpretation of a DISLOG **program** based on a first-order language, L, is a ... For example, if we consider the **program path** given in Sect ...

[Cited by 9](#) - [Related articles](#) - [All 3 versions](#)Efficient first **order** functional **program** interpreter with time bound certifications

JY Marion, JY Moyon - ... of the 7th international conference on Logic ..., 2000 - portal.acm.org

... Finally, we could use this result to analyse proof **search** based on ordered resolution as proposed by Basin ... The Multiset **Path** Ordering (MPO) is a syntactic termination ordering which was introduced by Plaisted [32] and ... MPO is widely employed to prove **program** terminations. ...

[Cited by 50](#) - [Related articles](#) - [BL Direct](#) - [All 7 versions](#)[PDF] The higher-order recursive **path** ordering[psu.edu \[PDF\]](#)

JP Jouannaud, A Rubio - Fourteenth Annual IEEE Symposium on Logic ..., 1999 - Citeseer

... of which the most popular one is the recursive **path** ordering [6]. Our contribution to this **program** is a reduction ordering for typed higher-order terms which conservatively extends Dershowitz's recursive **path** ordering for first-order terms. In the latter, the **precedence** rule allows ...

[Cited by 98](#) - [Related articles](#) - [View as HTML](#) - [All 15 versions](#)Scatter **search** and **path** relinking: Advances and applications[psu.edu \[PDF\]](#)

F Glover, M Laguna, R Martí - Handbook of metaheuristics, 2003 - Springer


... The problem was formulated as a multiobjective integer **program** with a total preference and workload- fairness objective functions, and can be stated as follows: consider a set of proctors at a large university. ... Page 15. Scatter **Search** and **Path** Relinking 15 accordingly (eg ...

[Cited by 197](#) - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)An efficient microcode-compiler for custom DSP-processors[128.32.63.27 \[PDF\]](#)

G Goossens, J Rabaeyt, J Vandewalle, ... - The Best of lccad: 20 ..., 2003 - books.google.com

... 1. 0.2 @... CD 0. 0.5 scheduled RTs @@@@ convergence reached•«— Figure 2. Scheduling of repetitive **program**, obtained from ... of 2 inner iteration steps.(The selection index is a modified critical-**path** measure ... This fact encumbers the locality of the **search** process ...

[Cited by 43](#) - [Related articles](#) - [All 7 versions](#)

 [Create email alert](#)



Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

package OR program path search p

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

[Web Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[Sign in](#)

Google scholar

path precedence order

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)☐ Search only in Engineering, Computer Science, and Mathematics.☐ Search in all subject areas.

Scholar



Articles excluding paten



- 2003

include citations

Results 1 - 10 of about 15,800. (0.37 sec)

[\[PDF\] The higher-order recursive path ordering](#)[psu.edu \[PDF\]](#)

JP Jouannaud, A Rubio - Fourteenth Annual IEEE Symposium on Logic ..., 1999 - Citeseer
 ... of which the most popular one is the recursive **path** ordering [6]. Our contribution to this program is a reduction ordering for typed higher-order terms which conservatively extends Dershowitz's recursive **path** ordering for first-order terms. In the latter, the **precedence** rule allows ...

[Cited by 98](#) - [Related articles](#) - [View as HTML](#) - [All 15 versions](#)[\[PDF\] XML path language \(XPath\) 2.0](#)[jussieu.fr \[PDF\]](#)

A Berglund, S Boag, D Chamberlin ... - W3C ..., 2002 - www.licence.ufr-info-p6.jussieu.fr
 ... Expressions 3.1.1 Literals 3.1.2 Variables 3.1.3 Parenthesized Expressions 3.1.4 Function Calls
 3.1.5 XPath Comments 3.2 **Path** Expressions 3.2.1 ... A.2 Lexical structure A.2.1 Whitespace Rules
 A.2.2 Lexical Rules A.3 Reserved Function Names A.4 **Precedence Order** B Type ...

[Cited by 395](#) - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)[Optimal FPGA module placement with temporal precedence constraints](#)[psu.edu \[PDF\]](#)

S Fekete, E Köhler, J Teich - ... on Design, automation and test in ..., 2001 - portal.acm.org
 ... In **order** to deal with **precedence** constraints, we also consider ... v2 v1 v3 v v2 1 v3 v2 v E Et t Figure
 7. Implications for edges and their orientations: Above are **path** implications (D1, left) and
 transitivity implications (D2, right); below the forced orientations of edges. ...

[Cited by 89](#) - [Related articles](#) - [All 26 versions](#)[The first-order theory of lexicographic path orderings is undecidable](#)

H Comon, R Treinen - Theoretical Computer Science, 1997 - Elsevier

... The two following lemmata show what needs to be done in **order** to prove this equivalence. ... at
 least) one binary symbol f, one unary symbol g and one constant 0. The 3^*V^* fragment of the
 theory of a lexicographic **path** ordering extending a **precedence** in which 0 is a ...

[Cited by 38](#) - [Related articles](#) - [All 12 versions](#)[The failure and recovery problem for replicated databases](#)

PA Bernstein, N Goodman - ... of the second annual ACM symposium ..., 1983 - portal.acm.org
 ... Thus L_3 is not I-SR. To tell if an rd log is I-SR, we use a modified serialization graph. We need some graph terminology first. Given a graph G , \ll denotes its **precedence order**: $v_i \ll v_j$ if there is a **path** from v_i to v_j in G . Let V' be a subset of G 's nodes. ...

[Cited by 141](#) - [Related articles](#) - [All 2 versions](#)

Postman tour on a graph with **precedence** relation on arcs

M Dror, H Stern, P Trudeau - Networks, 1987 - interscience.wiley.com

... H' as follows: the nodes in this optimal TSP **path** follow exactly the **order** in which the sets E_i , $i = 3, \dots, k-1$ are traversed in the CPP solution. It is clear that the difference between the value of the optimal Chinese Postman solution on H' with the general **precedence** relation and ...

[Cited by 28](#) - [Related articles](#) - [All 2 versions](#)

Modeling and analysis of workflows using Petri nets

NR Adam, V Atluri, WK Huang - Journal of Intelligent Information Systems, 1998 - Springer

... 2. There is no **precedence order** imposed between the states cm_i and ab_i and in fact are two mutually exclusive states. We say cm_i is a complementary state of ab_i , and vice versa (denoted as $cm_i = ab_i$ and $ab_i = cm_i$). ... **precedence order**: $sti \bullet stj \bullet$ incompatible state set: $\{sti, stj\}$...

[Cited by 256](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

[imamu.edu.sa \[PDF\]](#)

Rewrite orderings for higher-**order** terms in [eta]-long [beta]-normal form and the recursive **path** ordering* 1

JP Jouannaud, A Rubio - Theoretical Computer Science, 1998 - Elsevier

... Our contribution is precisely the definition of a recursive **path** ordering for higher **order** terms operating on terms in long normal form. This ordering extends, on one hand a **precedence** on the function symbols, on the other hand a wellfounded ordering on the type structure. ...

[Cited by 90](#) - [Related articles](#) - [All 8 versions](#)

[psu.edu \[PDF\]](#)

A monotonic higher-**order** semantic **path** ordering

C Borralleras, A Rubio - Logic for Programming, Artificial Intelligence, ..., 2001 - Springer

... alternative to transformation methods, more powerful term orderings like the semantic **path** ordering (SPO ... SPO generalizes RPO by replacing the **precedence** on function symbols by any (well-founded ... Hence, in **order** to ensure termination, apart from checking that the rules of the ...

[Cited by 14](#) - [Related articles](#) - [BL Direct](#) - [All 19 versions](#)

[psu.edu \[PDF\]](#)

Dynamic scheduling of real-time tasks under **precedence** constraints

H Chetto, M Silly, T Bouchentouf - Real-Time Systems, 1990 - Springer

... in G . So, graph G induces a partial **order** " $<$ " on δ , defined by $S_i < S_j$ if and only if G contains a directed **path** from the node ... tasks S^* implies the adherence with the timing requirements of δ . We shall now prove there exists a valid schedule which verifies the **precedence order** on δ ...

[Cited by 141](#) - [Related articles](#) - [All 3 versions](#)



Create email alert

path precedence order

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google

[Web Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)
[Sign in](#)

Google scholar

search path precedence order

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)

Scholar



Articles and patents

anytime

include citations

Results 1 - 10 of about **85,300**. (0.17 sec)**[CITATION]** Allocation and scheduling of **precedence**-related periodic tasks

K Ramamritham - IEEE Transactions on Parallel and Distributed Systems, 1995

[Cited by 180](#) - [Related articles](#) - [All 9 versions](#)**[PDF]** A tabu **search** approach to task scheduling on heterogeneous processors under **precedence** constraints[psu.edu](#) (PDF)

SCS Porto, CC Ribeiro - International Journal of high speed computing, 1995 - CiteSeer

... In some instances, a good **search path** will result in revisiting a solution encountered 7 ... The basic tabu **search** metaheuristic is now specialized into a specific algorithm for the task ... in Figure 1.

Renummer all tasks in a topological **order** according to the task **precedence** graph in ...[Cited by 89](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 9 versions](#)**[PDF]** Improved confusion network algorithm and shortest **path search** from word lattice[tuc.gr](#) (PDF)

J Xue, Y Zhao - Proc. ICASSP, 2005 - kefallonia.telecom.tuc.gr

... Section 2 introduces the basic concepts of confusion network. Section 3 presents the fast CN algorithm. In section 4 the shortest **path search** algorithm is derived. ... ICASSP 2005 → →

Page 2. **precedence order** of the links encoded in the original lattice. ...

[Cited by 18](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)**[PDF]** Evolutionary local **search** with variable neighborhood for the resource constrained project scheduling problem[193.125.180.5](#) (PDF)

Y Kochetov, A Stolyar - ... of the 3rd international workshop of ..., 2003 - 193.125.180.5

... We propose an evolutionary algorithm based on **path** relinking strategy and tabu **search** with variable neighborhood. Computational experiments are made for the PSPLib data set. ... A partial **order** representing **precedence** relations between activities is given. ...

[Cited by 30](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)**[PDF]** Optimal FPGA module placement with temporal **precedence** constraints[psu.edu](#) (PDF)

S Fekete, E Köhler, J Teich - ... on Design, automation and test in ..., 2001 - portal.acm.org

... In **order** to deal with **precedence** constraints, we also consider orientations of the comparability edges. This means that during the course of our tree **search**, we can have three different ... Figure 7. Implications for edges and their ori- entations: Above are **path** implications (D1, left ...

[Cited by 89](#) - [Related articles](#) - [All 26 versions](#)**[PDF]** Optimal and near-optimal allocation of **precedence**-constrained tasks to parallel processors: defying the high complexity[psu.edu](#) (PDF)

using effective **search** techniques

I Ahmad, YK Kwok - icpp, 1998 - computer.org

... is to assign the nodes to the processors and arrange the execution **order** of the ... proposed several state-space **search** approaches for scheduling DAGs with arbitrary **precedence** relations. ... lower-bound estimate of the exact minimum cost of the **search path** from the initial state ...

Cited by 23 - Related articles - All 10 versions

A review of process fault detection and diagnosis:: Part II: Qualitative models and **search** strategies

psu.edu [PDF]

V Venkatasubramanian, R Rengaswamy, SN ... - Computers & Chemical ..., 2003 - Elsevier

... ensures the presence of SCPs (only SCPs) because invoking a complex **path** results in ... The problem of fault-tree synthesis can be formulated as a **search** in finite state ... simultaneous—a recognition of the presence of asymmetry (partial or complete **precedence order** among the ...

Cited by 192 - Related articles - All 12 versions

Job-shop scheduling: An investigation in constraint-directed reasoning

utoronto.ca [PDF]

MS Fox, B Allen, G Strohm - Proceedings of The National Conference on ..., 1982 - aaai.org

... Examples of gating constraints are operation **precedence** and resource requirements. Preference constraints are a fourth category. ... tion's members. For example, an **order** of priority- ... strain& weight and rating at the state for later use in explaining a schedules **search path**. ...

Cited by 76 - Related articles - All 6 versions

[PDF] Programming in MATLAB

tu-darmstadt.de [PDF]

ME Herniter - cell - ulb.tu-darmstadt.de

... 315 LOOKFOR, 48,106,159,161 LOWER, 28, 223,224 lower integer, 106-107 lower **precedence**, 2 lowercase ... 372 math operators, 2 mathematical sysbols, 381 MATLAB student version, 352 MATLAB **path**, 52 add directory, 55 changing, 54 MATLAB **search path**, 67 addition ...

Cited by 24 - Related articles - View as HTML - Library Search - All 3 versions

A hybrid scatter **search**/electromagnetism meta-heuristic for project scheduling

psu.edu [PDF]

D Debeis, B De Reyck, R Leus, M ... - European Journal of ..., 2006 - Elsevier

... (2004) propose to use a combination of scatter **search**, **path** relinking, and ... Our **search** strategy is cast into an SS framework, as outlined in Section 3. Section 4 describes the ... is represented by a linear extension of the partial **order** induced by the **precedence** constraints, such that ...

Cited by 88 - Related articles - All 24 versions

☒ Create email alert

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

search path precedence order

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google